SafeNet Authentication Client 8.3 使用手册

作業系統需求:	
Windows XP SP3 (32-bit, 64-bit)	
Windows Server 2003 SP3 (32-bit, 64-bit)	1. 軟件安裝
Windows Server 2003 R2 (32-bit, 64-bit)	2. 滙入授權
Windows Vista SP2 (32-bit, 64-bit)	3. 更改 iKey 密碼
Windows Server 2008 SP2 (32-bit)	4. 檢視數碼證書內容
Windows Server 2008 R2 SP1 (64-bit)	
Windows 7 (32-bit, 64-bit)	
Windows 8 (32-bit, 64-bit)	
Windows 8.1 (32-bit, 64-bit)	

電子核證服務有限公司客戶服務熱線:(852) 2917 8833

1. 軟件安裝

注意:請以 Windows 管理員身份登錄,以便正常安裝軟件。 閣下可從光碟安裝軟件。

請卸載舊軟件版本(如適用)。

- 1. 關閉所有應用程式。
- 2. 將光碟放入光碟機,選擇 Run SAC8.3-x32x64.exe 執行安裝程式,安裝需數分鐘,請耐心等候。





3. 單擊 Next (下一步),選擇介面語言 Traditional Chinese (繁體), 然後選擇 Next (下一步)。



4. 選擇 "I accept the license agreement"(接受條款),然後選擇 Next (下一步) 進行安裝。

選擇 "Standard installation",然後單擊 Next (下一步) 進行安裝。



5. 確認安裝的路徑後,單擊 Next (下一步),選擇 Finish (完成),必須重新啟動電腦以完成安裝程序。

BafeNet Authentication Client 8.3 Setup	SafeNet Authentication Client 8.3 Setup
Destination Folder Select a folder in which the application will be installed.	SafeNet SafeNet Authentication Client 8.3 has been successfully installed.
Setup will install the files for SafeNet Authentication Client 8.3 in the following folder.	Client Click Finish to exit Setup.
To install in a different folder, click Browse, and select another folder. Destination Folder C:\Program Files\SafeNet\Authentication\ Browse	о 2.4 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
	SafeNet
< Back Next > Cancel	Finish

2. 滙入授權

選擇(開始)功能表,選擇 程式集 > SafeNet > SafeNet Authentication Client > SafeNet Authentication Client Tools, 單擊 關於按鈕。

afeNet		-3 15644065 50544455 404 200 5
afeNet Authentication Client		Ø Ø (1) ?
My Token	1	重新命名權代
	****	装更接续 密碼
		解領鄉代
	\otimes	消除權代
	2	線視極於波訊
	- + H A	8 SafeNet eToken Virtual 831838
Transformer and the second		

2. 單擊 **滙入授權**,選擇 從檔案滙入。



3. 選擇光碟位置,再選擇 licensekey_xxxxx.lic及按開啟,按OK進行滙入。



4. 按**OK**完成匯入授權。





3. 更改 iKey 密碼 (選擇性)

- 1. 把 iKey 插入電腦中。
- 選擇(開始)功能表,選擇 程式集 > SafeNet > SafeNet Authentication Client > SafeNet
 Authentication Client Tools, 單擊 變更權杖密碼按鈕。

afeNet			50544455 404- 240:5 - H
afeNet Authentication Clie	ent	۵ ه	1 ?
My Token	1	重新命名權伉	
	****	變更機欲 密碼	>
	1	解積極於	
	\otimes	清新權仗	
	2	線視機的変形	
	▲ •#/	A SafeNet eToken Virtual 89	138

3. 顯示密碼更改視窗。

S 變更 密碼 : My Token		
SafeNet. SafeNet	Authentication Client	
目前的權杖 密碼:		
新難仗 密碼: 確認 密碼:	••••••	ダ更 密碼: My Token
新 密碼 必須符合權杖上定義的強度 安全 密碼 至少包含 8 個字元,並由) 組成.	100% 設定。 大寫字母、小寫字母、數字和特殊字元(如!、\$、#、%	密碼 已成功變更.
目前語言: EN	OK Cancel	

- a) 在目前的權杖密碼,輸入現有密碼。如初次使用,請輸入密碼封條內之密碼。
- b) 在新權**杖密碼**,輸入新密碼。
- c) 在確認密碼,再次輸入新密碼進行確認。
- d) 選擇 OK 進行密碼更新,再按 OK 完成變更。

注意:

- 如輸入錯誤密碼超過10次,iKey將被鎖定。
- 密碼至少包含 8 個字元,並由大寫字母、小寫字母、數字和特殊字元組成。

4. 檢視數碼證書內容

選擇(開始)功能表,選擇 程式集 > SafeNet > SafeNet Authentication Client > SafeNet
 Authentication Client Tools,單擊 進階視圖 按鈕 .

SafeNet.		A 12556 R 55	3 15664U0555\64 50566455664556\64 4 F0
SafeNet Authentication Client		<u> </u>	i ? 💼
My Token	1	進造視圈	
	****	重新命名権仗 総面機付 安羅	
		解鎖機仗	
	\otimes	清除權仗	
	2	檢視機從資訊	
	<u>Ф</u> Ф (6 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	l SafeNet eToken Virtual ዘንን፤	ELR.
T 4 9 3 15664005 9\1415 6 10546455 9 6 0 3 7 2805 8 4		wv	w.safenet-inc.com

2. 選擇證書,檢視數碼證書內容。

SafeNet Authentication Client Tool:			
SafeNet.	cation Client		
SafeVet Authentication Client T	 定 意識素料 予該 發行者 勞竹者 勞竹者 勞效期后 勞效期后 勞效期后 勞效期后 幣比目的 累記名稱 状告 	77 38 e6 e7 CHAN TAT WAI GENERAL PURPOSE SIGNING CA CERT 1 Monday, March 30, 2016 並訂應用程式原列 く構	證書內容
	私容金鑰資料 金鑰大小 石器各額 包織各額 型金編時容器 石榴位上進行管器 石榴位上進行管器 密碼編譯現代者 相違應用程式要求進行楷位驗證	2048 bits 1947 #86-847#ab:227312x80-1eb5-226431#807427 c2 4:e6e 33 85 84 ft 21 55 fc b6 67 7e 53 af e7 d1 7d 2b de 5 제 SEVEXCHANGE 응 당 단 당 ·······························	

SafeNet Authentication Client 8.3 User Manual

Operating System Requirement:	Content
Windows XP SP3 (32-bit, 64-bit)	1. Installation of software
Windows Server 2003 SP3 (32-bit, 64-bit)	2. Import License
Windows Server 2003 R2 (32-bit, 64-bit)	3. Change iKey Password
Windows Vista SP2 (32-bit, 64-bit)	4. View the Digital Certificate
Windows Server 2008 SP2 (32-bit)	
Windows Server 2008 R2 SP1 (64-bit)	
Windows 7 (32-bit, 64-bit)	
Windows 8 (32-bit, 64-bit)	
Windows 8.1 (32-bit, 64-bit)	

Digi-Sign Certification Services Limited Customer Service Hotline: (852) 2917 8833

1. Install the software

Note: You should logon with administrator privileges to Windows in order to install the software properly.

You may install the software by CD-Rom.

Please uninstall SAC previous version (if applicable).

- 1. Close all programs and applications.
- 2. Insert the software CD-Rom to your personal computer's CD-Rom drive. Select

Run SAC8.3-x32x64.exe to start the installation. *The installation process will be completed in a few minutes. Please be patient.*



** Some PCs may have the Autorun feature disabled. In that case, follow the steps below: Open [My Computer] > [SAC_8.3] > Right-click the drive click [Open]>select SAC8.3-x32-x64 to start the installation.

3. Click Next and select the interface language and click Next.

BafeNet Authentication Client 8.3 Setup	BafeNet Authentication Client 8.3 Setup
Welcome to the SafeNetSafeNetAuthentication Client 8.3AuthenticationInstallation Wizard	Interface Language Select the interface language.
Client The Setup wizard will install SafeNet Authentication Client 8.3 on your computer. It is strongly recommended that you close all Windows programs before running the Setup wizard. Click Next to continue.	Select the SafeNet Authentication Client 8.3 interface language: English
GafeNet	< Back Next> Cancel

4. Select "I accept the license agreement" and click Next. Then select "Standard installation" and click Next to run the installation.

BafeNet Authentication Client 8.3 Setup	😸 SafeNet Authentication Client 8.3 Setup
License Agreement Please read the following license agreement carefully.	Installation Type Select the installation type.
SAFENET SOFTWARE LICENSE TERMS SafeNet Authentication Client	Standard Standard installation Includes new implementation and user interface for all eToken and iKey tokens.
SafeNet software is not sold; rather, copies of SafeNet software are licensed all the way through the distribution channel to the end user. UNLESS YOU HAVE ANOTHER AGREEMENT DIRECTLY WITH SAFENET THAT CONTROLS AND ALTERS YOUR USE OR DISTRIBUTION OF THE SAFENET SOFTWARE, THE TERMS AND CONDITIONS OF THE APPLICABLE LICENSE AGREEMENTS BELOW APPLY TO YOU. Please read the agreements	Bec-compatible Legacy BSec-compatible installation Includes new implementation and user interface for all eT oken and Key tokens. Also supports legacy iKey implementation and user interface.
Lacept the license agreement Orgonal sampt the license agreement	
Cancel	Cancel

5. Having confirmed the Destination Folder, click **Next** to continue the installation and then click **Finish**. You **must** restart your personal computer to complete the installation.

😸 SafeNet Authentication Client 8.3 Setup	BafeNet Authentication Client 8.3 Setup
Destination Folder Select a folder in which the application will be installed.	SafeNet SafeNet Authentication Client 8.3 has been successfully installed.
Setup will install the files for SafeNet Authentication Client 8.3 in the following folder.	Client Click Finish to exit Setup.
To install in a different folder, click Browse, and select another folder. Destination Folder C:\Program Files\SafeNet\Authentication\ Bgowse	9,372, 9 ∉ 3 ⁴ B ³ 6 B
	GafeNet.
	Finish

2. Import License

1. From the Start menu, select Programs > SafeNet > SafeNet Authentication Client > SafeNet Authentication Client Tools. Click the About icon.

afeNet Authentication Client Tools	
SafeNet Authenticat	ion Client 👩 🕥 🚺 ? 🛔
My Token	Rename Token
	*** ** Change Token Password
	Unlock Taken
	Delete Token Content
	O View Token Info
	Deconnect Sefeliet effolen Virtuel
3 15464UBS 3114 8 10546835 (6 8-11) 7 260 5 H	www.safenet-inc.com

2. Click Import New License and then click Import from File.

S About	
GafeNet. SafeNet Authentication Client	S Import License
SafeNet Authentication Client 8.3 (8.3.52.0) Copyright © 2014 <u>http://www.safenet-inc.com/</u>	GafeNet. SafeNet Authentication Client
All rights reserved. Ucense Information	Enter the SafeNet license string or import the license from a file.
This is an unlicensed copy for evaluation use only.	
Thousand	
OK	Import from File OK Cancel

3. Select the CDRom location and select licensekey_xxxxx.lic, then click Open. Click OK to import the license.



4. Click OK to finish the import.



×

3. Change iKey Password (Optional)

- 1. Insert the iKey into your personal computer
- 2. From the Start menu, select Programs > SafeNet > SafeNet Authentication Client > SafeNet Authentication Client Tools. Click the Change Token Password.



3. The Change Password window appears.

S Change Password: My Token	×	
GafeNet. SafeNe	at Authentication Client	
Current Token Password:	•••••	
New Token Password:	•••••	
Confirm Password:	100%	Change Password: My Token
The new Password must comply with	h the quality settings defined on the token.	Clos
A secure Password has at least 8 ch numerals, and special characters (su	aracters, and contains upper-case letters, lower-case letters, uch as $1,$ \$, #, %).	Password changed successfully.
Current Language: EN		
	OK Cancel	ОК

- a) In the **Current Token Password** field, enter your current Password. For first time login, use the NEW PIN Mailer password.
- b) In the New Token Password field, enter your new Password.
- c) In the **Confirm Password** field, enter your new Password again for confirmation.
- d) Click **OK** to update your password and click **OK** to complete.

Note:

- iKey will be locked, if you entered incorrect password for 10 times .
- The password at least 8 characters and contains upper-case letters, lower-case letters, numerals and special characters.

4. View the Digital Certificate

From the Start menu, select Programs > SafeNet > SafeNet Authentication Client > SafeNet
 Authentication Client Tools. Click the Advanced View icon



2. Select the Token slot to view the digital certificate

SafeNet Authentication Client To	sk	× -	
SafeNet.	tication Client	1 15444405 51444 1 1544405 51445 1 1544405 51445 1 1544405 51445 1 1544405 51445 1 1544405 51445 1 1544405 1 1544405 1 1544405 1 1544405 1 154405 1 15440	
SafeNet Authentication Client T., Certificate Data Certificate Data Serial number Serial number Issued to		77 38 e4 ef	Certificate content
User Certificates User CHAN TALW Settings	Issued by Valid from Valid to	CENERAL PURPOSE SIGNING CA CERT 1 Monday, March 04, 2013 Wednesday, March 30, 2016	
Clent Settings	Intended purposes Friendly name State	All application policies <none> Valid *</none>	
	Private Key Data		
Key size Container name Modulus Key specification Default Key Container Sign packing on-board	2048 bits e1947-866.8dfab227312e0.1eb5c26c31a807427		
	c2 4e 0e 33 b5 f4 f1 21 f5 fc b6 67 7e 53 af e7 d1 7d 2b de 5 AT_KEYEXCHANGE		
	Yes No		
	Cryptographic provider Token authentication on application re	CSP No +	J